

## **Why Screen for Gambling Disorder?**

- Gambling Disorder leads to financial, emotional, social, occupational, and physical harms.
- Gambling Disorder affects about 1% of the general population, and subclinical past year gambling-related problems affect 2-3% of the general population.
- As much as 10% of primary care patients report lifetime gambling disorder, and an additional 5% report lifetime subclinical problems.
- People with gambling-related problems are more likely to smoke, consume excessive amounts of caffeine, have more emergency department visits, and be obese.
- Although nearly 50% of people who have gambling problems are in treatment for "something," national studies have failed to identify anyone who currently reports being in treatment specifically for gambling-related problems.
- Many cases of gambling disorder go undetected, due to limited assessment for this problem.

## **Who Should Screen for Gambling Disorder?**

- Addiction service providers
- Mental health service providers
- Physicians (e.g., primary care and emergency medicine)
- Gerontologists
- Pediatricians
- Educators
- Youth community leaders
- Employee Assistance Plan service providers
- Veterans groups

### ***What Should Happen at a Gambling Disorder Screening?***

- Complete a brief Gambling Disorder screen
- Discuss the results of a positive screen with a health provider
- Learn where to go for additional help and to access other resources, if necessary.
- Receive educational materials on Gambling Disorder